

S2000 Series from

REO-PACK

- All over the world



**Other quality
products from
Reo-Pack**

**Turnarm wrappers
S-series**

**Fullyautomatics
(J-series)**

**Semiautomatics
(F-series)**

**Ringwrappers
(H-series)**

**Wastewrappers
(W-series)**

**Complete
packing lines**

***Turn arm wrapper with large
production capacity***


S2000 / S2000ISS

REDPACK S2000

Advantages with the S2000 Series

- High capacity
- Electronically controlled motorised prestretch
- Optional pre-stretch
- Error readouts in display
- Runs all types of quality stretch film
- Installable over existing roller/chain conveyor
- Internal or external film seaming
- All movements can be controlled in manual
- Customer specific wrapping programs
- Simple construction
- Easy service access to all components
- All electrical components are standard components.
- Siemens PLC S7 are standard, other brands on request
- Easy greasing through greasing nipples
- **Everything is designed and build in Denmark**


▶ S2000 with roller conveyor and turntable for handling $\frac{1}{2}$ and Euro pallets.



▲ S2000 series is build on the turn-arm principle. The **RED-PACK** construction is made from a heavy frame witch carries the large $\varnothing 1050\text{mm}$ toothed ball bearing with remote greasing. The combination of steel and nylon makes the drive service free.



◀ S2000 with chain conveyor designed to handle Pallets and roller cages at the same time. Separation is automatic. Wrapping program can be chosen on the panel.



S2000 - a wrapper for everybody

REO-PACK would like to introduce the S2000

The S2000 is a turn arm wrapper. The construction means that the pallet stands still and the turn arm carries the film carriage around the pallet during the wrapping operation. Combined with the electronic film surveillance system it enables the S2000 to reach impressive capacities.

Apart from being fast, the S2000 distinguishes itself with its chameleon like ability to adapt to all kinds of wrapping tasks. You find the S2000 in furniture, fish, convenience goods, dairy, corn and feeding stuff, paper, concrete, bricks and many other trades. This know-how has paved the way for exports around the world.

The large scope of application is only possible because the S2000 comes in two basis variants: S2000 and S2000 ISS. ISS is an abbreviation for Integrated Seaming System. ISS is a unique touch less seaming system, which guarantees perfect seaming in the full width of the film.

The S2000 starts the wrapping in the bottom of the pallet and the S2000 ISS begins by help of the top clamp in the top of the pallet. On the top clamp the catching, cutting and seaming arrangement is positioned.

The S2000/ISS can of course be delivered with top sheet dispensers for dustproof as well as waterproof wrapping.

The S2000 is an entirely Danish product. Designed and built in the plant by Mariager Fjord. **REO-PACK** uses only the most modern construction methods during the production process. Like any other wrapper from the **REO-PACK** line-up, all parts in the S2000 are chosen from the keywords: Strength, and service friendliness. Quality brands like Nordgear, Siemens and INA speaks for themselves.

REO-PACK is ready to deliver your next wrapper, because **REO-PACK** has a wrapper for every purpose.

◀ *Compact film carrier with motorised film pre-stretch. The electronic film surveillance system ensures the correct film tension against the pallet. The design of the carrier ensures quick and easy re-threading.*

◀ ***REO-PACK** has a full-scale electrical assembly and software department, ready to meet every customer requirements.*

REOPACK S2000 ISS

Advantages for the S2000 ISS are the same as for the S2000, in addition the S2000 ISS offers the following possibilities:

- Unique filmclamp and seaming mechanism.
- S2000 ISS starts wrapping from the top of the pallet.
- Can make banderol wrapping.
- Seaming the film against a sword, no against the product.
- The machine adjusts itself automatically to the specific pallet size.
- Very short seaming "tail"
- Topclamp included
- Seaming the whole film width.


A perfect wrapper for high storage, fault less contour control.

S2000 ISS Integrated seaming system.





▲ *On the S2000 ISS the seaming is done against the seaming sword instead of the product. This ensures a 100% seam.*

◀ *Seaming/cutting mechanism in seaming position on the S2000 ISS*



REO-PACK

- All over the world



Technical Data

REO-PACK SWING 2000 - Fully automatic Rotating arm Wrapper

Programmable options

- VAmount of bottomwrappings
- Amount of topwrappings
- Adjustment of film amount
- Manually control of conveyors
- Adjustment of film carrier speed
- Manually control of film carrier Up/down
- Manually positioning of turn arm
- Open/close film scissors

Machine weight:	app. 1600kg
Wrapping height (standard)	2200 mm
Speed of rotation (adjustable)	10-36 o./min.
Powersupply	3x380/220V/50 Hz/N/PE
Total engine performance	3Kw
Max. power supply	25 A CEE

Construction

Heavy/powerful steel construction. Ø1050mm gear wheel w/ball bearing

Engine:

Nord Gear

Pallet size:

From 800x1200mm to 1500x2500mm

Film types:

All known standard types (Pre-stretch film)

Core diameter: 76 mm (Standard)

Film width: 500 mm (Standard)

Capacities:

Depending on wrapping pattern, pallet height, amount of wrappings and conveyor speed.

Options:

- Extra wrapping height above 2200mm(Standard)
- Other pallet sizes on request (Standard 800x1200mm)
- Electroplated/Stainless performance
- Steering with up-to 10 wrapping programs.
- Extended steering to handle logistic system
- Steering components according to customer request.



REO-PACK
 Kongsdal Havn 4, Assens
 DK-9550 Mariager
 Tlf. +45 9858 4100
 Fax. +45 9858 4188
 E-mail: mail@reo-pack.com
 www.reo-pack.dk

Supplier: